




Embossed


Metal



**AMERICAN
DECORATIVE CEILINGS
& WALLS**

4510 East 71st Street
Cleveland, OH 44105
Office (216) 341-2222
Fax (800) 336-8501
Web www.am-dec.com

EMBOSSED METAL PATTERNS



301
ABBEY



601
ARBORDALE




602
BLACKSTONE



603
MIN. BARBARY



604
CHECKERS




605
CUSHION DOT



606
SCOTTSDALE



611
CARLYLE




1201
BALDWIN



1201-ND
BALDWIN-NO DOT



1202
CHELSEA



1202-ND
CHELSEA-NO DOT



1203
NOVEAU



1206
JAMESPORT




1207
PIZZELLE



1208
DIAMOND HEIGHTS

EMBOSSED METAL PATTERNS



1209
NORMANDY




1210
EDINBORO




1211
BRIXHAM




1217
COLCHESTER




2400
ASTORIA




2401
BARBARY COAST



2402
WALDORF




2403
DIAMOND HEAD



2404
DOUBLE DIAMOND



2405
LATTICE




2406
BOW KNOT




2407
CAROUSEL



2409
BERKSHIRE



2410
ROYALTY



2411
PARK PLACE



2414
BAROQUE

EMBOSSED METAL PATTERNS



2415
MANSARD



2418
SOMMERS



2422
GLASGLO



2431
BARCLAY




2434
SUFFOLK



2439
LYON



2438
MANCHESTER



2440
NEO-GOTHIC



2447
MARSEILLE



2448
ROUCHE



9126 (New)
NEW ORLEANS




9129 (New)
SUN BURST

SHINING
FALLING
DOWN
NIGHT



CORNICES AND GIRDER NOSING



Materials:

.010" Thick Tin Plated Steel (.5lb/s.f.)
.020" Thick Aluminum (.3lb/s.f.)


All patterns on these pages represent a 2x2 panel. 2x4 panels are also available. These are all available in a flat lay-in panel. For nail-up applications, a 2x4 panel is available.

All cornices and girder nosing come in a nominal 48" length. Cornices are shipped flat and must be bent in field to achieve dimensions shown.


Panels are available in a mill finish, primed, or factory painted to your specifications, or it may be painted on jobsite. Bright finishes in brass, copper and chrome are another option.

Perforated panels and insulation/acoustical backer panels are available for improved sound performance.


2x2 and 2x4 lay-in panels are easy to install and are designed for use with standard 15/16" T-Bar grid. Backerboards and hold down clips (4 per panel) are recommended for a smooth appearance and increased rigidity.



F01
STANDARD FILLER




F02
DECORATIVE FILLER



F03
ORNATE FILLER

Metal EMBOSSED PANELS

☐ Photo



☐ Embossed System Data

PANEL SIZES: Standard sizes are 2'x 2' & 2'x 4'

FINISHES: Standards are White, Clear, or Mill. Custom Painted & Wood Grained are available.


FIRE CODE: Panel is Class 1 Material per ASTM-E84. Fire-Rated T-Bar Suspension available upon request.

MATERIAL: .020" thk. aluminum or .010" thk. steel.


ACOUSTICS: Perforated panels w/ INS10 infill panel will provide a NRC of 0.85 & CAC of 40. Performance is determined by perforation size.

LEEDs: Upto 90% for aluminum, 20% for steel.

☐ Details-Lay In Options




☐ Installation- Lay In/ Nail Up



☐

☐ Popular Finishes



Contact Factory for other available finishes and perforation patterns

**AMERICAN DECORATIVE
CEILINGS & WALLS**

(ALL RIGHTS RESERVED)

Mail: Post Office Box 605605 - Cleveland, Ohio 44105
Packages: 4510 East 71st St. - Cleveland, Ohio 44105
Telephone: (216) 341-2222 - Fax: (800) 336-8501
email: info@amer-dec.com